

Spec. Profile - 080

- on-screen



1/2 Ton Truck

Fender wells inside

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking - Base Diff. Ratio

Battery

600 amps cold crank

Body style

1/2 Ton

Doors - As Per Request Form

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Engine

As per request form

Factory Options

Mud Flaps

Spray on box liner - Under rail

Gross Vehicle Weight (GVW)

As per the request form

Mirrors

Exterior left and right power mirrors

Radio

AM/FM w/auxiliary input

Seating

As Per Request Form - Configuration

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Traction Control

Tires

5 All Terrain - LT Load Range D

Regular size spare tire

Transmission

Automatic With Cooler

Wheelbase

135" to 172" - Wheel base will depend on door and box configuration

Spec. Profile - 080-1200

- on-screen



1/2 Ton Truck

This specification is for Conservation only

Fender wells inside

Colour: Dark Green

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Front

Axle Front - Independent Suspension with Front Stabilizer Bar

Axle Rear

Axle Rear - Locking 3.55 Ratio

Battery

600 amps cold crank

Body style

1/2 Ton

Crew Cab - 4 Full Size Conventional Doors

Crew cab short box

Brakes

Power brakes - 4 wheel Disc anti-lock brake

Catalogue Specification

2017 Only

Colour

Exterior - Dark Green

Interior - Dark

Drivetrain

4 Wheel-drive

Engine

5.0 Litre 8Cyl - Minimum

Factory Options

Electric Brake Controller

Mud Flaps

Spray on box liner - Vendor must supply

Fuel Type

Unleaded

Gross Vehicle Weight (GVW)

7600 lbs Option Code 627 with no FX4 decals - 7,600

Mirrors

Exterior left and right power mirrors

Radio

AM/FM w/auxiliary input

Seating

Bucket seats with armrests and full floor console

Cloth Seats

Power Lumbar

Power Seats

Rear folding seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber Front & Rear

Front frame mounted tow hooks

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 All Terrain - LT245/70R17D

Regular size spare tire

Trailer options

Towing package - Class 4 Receiver Hitch

Transmission

Automatic With Cooler

Vehicle Payload

2,400 lbs - Please note as close to 2,400lb payload as possible is required

VEMA Installed Options

Set up vehicle as per Conservation's spec

Wheelbase

153"

Spec. Profile - 081

- on-screen



3/4 Ton Truck

Fender wells inside

Colour: White

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking 3.73 Ratio

Battery

600 amps cold crank

Body style

3/4 Ton

Doors - As Per Request Form

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Engine

As per request form

Factory Options

Mud Flaps

Spray on box liner - Under rail

Gross Vehicle Weight (GVW)

As per the request form

Mirrors

Extendable left and right mirrors

Radio

AM/FM w/auxiliary input

Seating

As Per Request Form - Configuration

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 All Terrain - LT Load Range D

Regular size spare tire

Transmission

Automatic With Cooler

Wheelbase

135" to 172" - Wheel base will depend on door and box configuration

Spec. Profile - 081-1200

- on-screen



3/4 Ton Truck

This specification is for Conservation only

Fender wells inside

Colour: Dark Green

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Front

Axle Front - Independent Suspension with Front Stabilizer Bar

Axle Rear

Axle Rear - Locking - Base Diff. Ratio

Battery

600 amps cold crank

Body style

3/4 Ton

4 Door - 2 Conventional 2 Swing out

Extended cab, short box

Brakes

Power brakes - 4 wheel Disc anti-lock brake

Catalogue Specification

2017 Only

Colour

Exterior - Dark Green

Interior - Dark

Drivetrain

4 Wheel-drive

Engine

5.7 Litre 8Cyl - Minimum

Factory Options

Electric Brake Controller

Mud Flaps

Spray on box liner - Vendor must supply

Fuel Type

Unleaded

Gross Vehicle Weight (GVW)

LBS - 8,800

Mirrors

Exterior left and right power mirrors

Radio

AM/FM w/auxiliary input

Seating

Bucket seats with armrests and full floor console

Cloth Seats

Power Drivers Seat

Power Lumbar

Rear folding seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber Front & Rear

Front frame mounted tow hooks

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 All Terrain - LT Load Range E

Regular size spare tire

Trailer options

Towing package - Class 4 Receiver Hitch

Transmission

Automatic With Cooler

Vehicle Payload

3,390 lbs

VEMA Installed Options

As Per Conservation spec

Wheelbase

145"

Spec. Profile - 082

- on-screen



1 Ton Truck

Fender wells inside

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking 4.10 Ratio

Battery

750 amps cold crank

Body style

1 Ton

Doors - As Per Request Form

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Engine

As per request form

Factory Options

Mud Flaps

Spray on box liner - Under rail

Gross Vehicle Weight (GVW)

As per the request form

Mirrors

Extendable left and right mirrors

Radio

AM/FM w/auxiliary input

Seating

As Per Request Form - Configuration

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Heavy duty rear step bumper

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tachometer

Tilt Steering

Tires

5 On-Off Road - LT Load Range E

7 On-Off Road - LT Load Range E If Dual Rear Wheels is checked on request form

Regular size spare tire

Transmission

Automatic With Cooler

Wheelbase

135" to 172" - Wheel base will depend on door and box configuration

Spec. Profile - 082-1

- on-screen



1 Ton Truck

1 Ton Truck Cab & Chassis

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking - Base Diff. Ratio

Battery

750 amps cold crank

Dual 750 amps cold crank - diesel engine only

Body style

1 Ton

Cab & Chassis

Brakes

Power brakes - 4 wheel anti-lock

C.A.

As per request form

Catalogue Specification

2017 Only

Colour

Interior - Dark

Drivetrain

As Per Request Form

Engine

As per request form

Gross Vehicle Weight (GVW)

LBS - 14,000

Mirrors

Extendable left and right mirrors

Radio

AM/FM w/auxiliary input

Seating

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Dual rear wheels - If Dual Rear Wheels is checked on request form

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Single rear wheels

Tachometer

Tilt Steering

Tires

5 On-Off Road

7 On-Off Road - LT Load Range E If Dual Rear Wheels is checked on request form

Regular size spare tire

Transmission

Automatic With Cooler

Wheelbase

135" to 172" - Wheel base will depend on door and C/A configuration

Spec. Profile - 086

- on-screen



Compact 1/2 Ton Truck

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking - Base Diff. Ratio

Battery

500 amps cold crank

Body style

Compact 1/2 Ton

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Engine

As per request form

Factory Options

Mud Flaps

Spray on box liner - Under rail

Fuel Type

Unleaded

Mirrors

Exterior left and right power mirrors

Radio

AM/FM w/auxiliary input

Seating

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 All Terrain

Regular size spare tire

Transmission

Automatic With Cooler

Spec. Profile - 087

- on-screen



3/4 Ton Truck - Crew Cab

Fender wells inside

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking 3.54 Ratio

Battery

600 amps cold crank

Body style

3/4 Ton

Crew cab

Crew Cab - 4 Full Size Conventional Doors

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Engine

As per request form

Factory Options

Mud Flaps

Spray on box liner

Gross Vehicle Weight (GVW)

As per the request form

Mirrors

Extendable left and right mirrors

Radio

AM/FM w/auxiliary input

Seating

As Per Request Form

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Floor Mats - Rubber Front & Rear

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 All Terrain - LT Load Range E

Regular size spare tire

Transmission

Automatic With Cooler

Wheelbase

160"

Spec. Profile - 087-1200

- on-screen



3/4 Ton Truck - Crew Cab

This specification is for Conservation only.

Fender wells inside

Colour: Dark Green

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Front

Axle Front - Independent Suspension with Front Stabilizer Bar

Axle Rear

Axle Rear - Locking 3.54 Ratio

Battery

600 amps cold crank

Body style

3/4 Ton

Crew Cab - 4 Full Size Conventional Doors

Crew cab short box

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Exterior - Dark Green

Interior - Dark

Drivetrain

4 Wheel-drive

Engine

5.7 Litre 8Cyl - Minimum

Factory Options

Electric Brake Controller

Mud Flaps

Spray on box liner - Vendor must supply

Fuel Type

Unleaded

Gross Vehicle Weight (GVW)

LBS - 8,800

Mirrors

Exterior left and right power mirrors

Radio

AM/FM w/auxiliary input

Seating

Bucket seats with armrests and full floor console

Cloth Seats

Power Drivers Seat

Power Lumbar

Rear folding seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber Front & Rear

Front frame mounted tow hooks

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 All Terrain - LT Load Range E

Regular size spare tire

Trailer options

Towing package - Class 4 Receiver Hitch

Transmission

Automatic With Cooler

Vehicle Payload

3,150 lbs

VEMA Installed Options

As Per Conservation spec

Wheelbase

160"

Spec. Profile - 088

- on-screen



1 Ton Truck - Crew Cab

Fender wells inside

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Front

Axle Front - Independent Suspension

Axle Rear

Axle Rear - Locking 3.54 Ratio

Battery

600 amps cold crank

Body style

1 Ton
Crew cab
Crew Cab - 4 Full Size Conventional Doors

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Engine

As per request form

Factory Options

Mud Flaps
Spray on box liner

Gross Vehicle Weight (GVW)

As per the request form

Mirrors

Extendable left and right mirrors

Radio

AM/FM w/auxiliary input

Seating

As Per Request Form
Cloth Seats

Standard equipment

12 Volt Power Point
Block Heater
Cruise Control
Floor Mats - Rubber Front & Rear
Interior rear view mirror
Intermittent Wipers
Power Door Locks
Power windows
Tilt Steering

Tires

5 M&S - LT Load Range E
6 On-Off Road - LT Load Range E If Dual Rear Wheels is
checked on request form
Regular size spare tire

Transmission

Automatic With Cooler

Wheelbase

160"

Spec. Profile - 088-1200

- on-screen



1 Ton Truck - Crew Cab

This specification is for Conservation only

Fender wells inside

Colour: Yellow

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Axle Rear

Axle Rear - Locking 3.54 Ratio

Battery

600 amps cold crank

Body style

1 Ton

Crew Cab - 4 Full Size Conventional Doors

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Exterior - Yellow

Interior - Dark

Engine

8 Cylinder

Factory Options

Mud Flaps

Gross Vehicle Weight (GVW)

LBS - 9,200

Mirrors

Exterior left and right power mirrors

Radio

AM/FM w/auxiliary input

Seating

Bench 40/20/40 Split

Cloth Seats

Standard equipment

12 Volt Power Point

Block Heater

Cruise Control

Dual Air Bags

Floor Mats - Rubber Front & Rear

Interior rear view mirror

Intermittent Wipers

Power Door Locks

Power windows

Tilt Steering

Tires

5 M&S - LT Load Range E

Regular size spare tire

Trailer options

Towing package - Class 5 Receiver Hitch

Transmission

Automatic With Cooler

Wheelbase

160"

Spec. Profile - 089

- on-screen



1 Ton Cutaway Cab & Chassis

Complete with Van Body - Fill in box length and cab to axle in additional information

Meter Type: kms

Air Conditioning / Heating

Air Conditioning

Alternator

100 amp

Battery

500 amps cold crank

Body style

1 Ton
Cutaway Cab & Chassis

Brakes

Power brakes - 4 wheel anti-lock

Catalogue Specification

2017 Only

Colour

Interior - Dark Neutral

Drivetrain

As Per Request Form

Mirrors

Exterior left and right West Coast mirrors - 7" x 16"

Radio

AM/FM w/auxiliary input

Seating

As Per Request Form - Configuration
Bucket Seats
Cloth Seats

Standard equipment

12 Volt Power Point
Block Heater
Cruise Control
Dual Air Bags
Dual rear wheels
Floor Mats - Rubber
Insulation package
Intermittent Wipers
Power Door Locks
Power windows
Tilt Steering

Tires

7 All Season - LT Load Range E
Regular size spare tire

Transmission

Automatic With Cooler

Van body

Doors - Full rear width insulated roll up with locking handle
Floor construction - Hardwood
Height 7FT
Interior lights - 3 in cargo area
Rear heater
Tie down rails on walls
Width 8FT

VEMA Installed Options

Front Mud Flaps

Spec. Profile - B-720

- on-screen



Dump Box 9 Ft. (9' x 8' x 12") MES 16.04.05

MES spec 16.04.05

This specification is for MB Infrastructure and Transportation only

Colour: Black

Meter Type: (none)

C.A.

60"

Catalogue Specification

2017 Only

Colour

Black

Dump Box

Body Mount - Body to be mounted on a 1 ton Standard Cab/Chassis, with all lights and reflectors, mud flaps and mounting brackets to Federal Safety Standards
Electric hydraulic pump - Monarch Hydraulics double acting
Floor Construction - 7 Gauge Steel plate, 7" formed long sills
Front Construction - Formed steel, 12" deep cab shield sloped 20 degrees, sides tapered @ 30 degrees, plasma cut slotted window
Height - 12" Without plank gussets
Hoist - Double acting, scissor type, 5,000lbs, 50 degrees dumping angle
Length - 9'
Paint - 2 Coats black polyurethane enamel
Rear Construction - Two-way tailgate with ability to open from top or bottom, spreader chains
Side Construction - Drop sides with single lever, 2"X6" plank gussets, access fold up ladder on right hand side
Width - 8'

Electrical

Wiring - Sealed Harness, LED Lighting, 10' corded remote for hoist control

Standard equipment

Back-up Alarm
Mud Flaps -Rubber,anti sail
Roll Up Tarp - Self storing open black mesh tarp
Spare Tire Holder Under Box
Tool Box - Underneath dump box on right hand side

Trailer options

Trailer Hitch - 1/2" solid steel hitch plate bolted to chassis frame, pintle hooks combination 2 5/16" replaceable ball, 1 1/4" shank, 14000 lbs capacity

Wheelbase

160"